

Care




WOOD LOTION

PRODUCED BY

**Schotten
& Hansen**

www.woodwellness.com

Wood Lotion



Wood Lotion was specially developed by Schotten & Hansen for the maintenance care of oiled hardwood surfaces indoors.


Description	Art. Nr. EU + UK	Art. Nr. USA	Quantity
WoodLotion (small)	31318	31373	200 ml (7 fl. oz.)
WoodLotion (medium)	31320	31374	1 l (34 fl. oz.)
WoodLotion (large)	31319	31375	2.5 l (0.7 gal.)

Application

Clean the wood surface thoroughly. We recommend Wood Soap Intensive for this purpose. Shake Wood Lotion well, apply thinly and spread evenly with a cotton cloth or wiping pad - no microfibre! Allow Wood Lotion to soak in. Optionally, the surface can be polished after complete drying (approx. 2 hours) with a polishing machine (white pad, sisal brush) or by hand (cotton cloth, beige pad).

Important notes: Test the application on a non-visible area first. The product can influence the colour impression. Depending on the surface condition, wax particles may become visible after drying, which can be removed by polishing or brushing.

The application of Wood Lotion is highly dependent on the stress on the surface. We recommend applying the product annually, or at most every six months if the surface is subject to heavy wear.



Yield

For intact, normally stressed wooden surfaces, an area of approx. 60 m² (600 sq ft.) can be revitalised with 1 l (34 fl. oz.) Wood Lotion. The actual consumption may vary depending on the condition and absorbency of the wood surface.



Wood Lotion

Further information for Schotten & Hansen wooden surfaces

We advise against mixing Schotten & Hansen products with other brands. For the best results, use only Schotten & Hansen cleaning and care products. You can purchase cleaning accessories such as mops and buckets from our webshop.

- Aggressive, alkaline or solvent-based cleaning products can damage the Schotten & Hansen surface.
- Remove dirt from the floor or furniture surfaces as soon as possible to prevent staining.
- Avoid cleaning with microfibres or abrasive sponges
- Remove standing water and puddles as quickly as possible and protect your wooden surfaces from constant moisture.

Frequently asked questions:

(Applicable to Schotten & Hansen wooden surfaces)

Q: How do I know that the treated wooden surface is sufficiently protected?

A: Test the lotus effect by placing a drop of water on the wooden surface. If the drop rolls off and is not absorbed, the surface is sufficiently protected.

If you have any questions about our products or their application, please contact our service department. We will be happy to support you:

Phone: +49 8861 90804 0

E-mail: service@schotten-hansen.com



Scan here
for video instruction

All information on this data sheet is to be considered as advice and is based on empirical investigations according to today's state of the art. Therefore, all provided information on the suitability, processing and application of our products, as well as technical advice and further particulars, do explicitly not release the customer and/or user from verifying the products' suitability by means of their own tests.



Wood Lotion

Proper cleaning and maintenance is essential for the appearance and longevity of your floor. Please refer to our service folder and product data sheets for cleaning products. We are also happy to discuss the necessary measures with you and your cleaning staff.

Cleaning and maintenance products, accessories and tips can be found in the Wood Wellness online shop.



Wood Wellness
747 North La Brea Ave,
Los Angeles, CA 90038
USA

info@woodwellness.com
www.woodwellness.com

Produced by

Schotten & Hansen GmbH
August-Moralt-Straße 1
86971 Peiting
Germany

T +49 8861 90 804-0
F +49 8861 90 804-101
kontakt@schotten-hansen.com

www.schotten-hansen.com

